




**DC~110GHz**

# 高精密射频微波同轴转接器



福建迈可博电子科技集团股份有限公司

[www.micable.cn](http://www.micable.cn)

# DC~110GHz高精密射频微波同轴转接器



• 优异的驻波

• 经久耐用, 寿命超过1000次

高质量!

低成本!

快速交货!

型号	工作频率	接头 1	接头 2	驻波 (最大值)
<b>SMA 系列</b>				
SMA-BMA-FFF	DC-18GHz	SMA Female	BMA Female 2-Hole Flange	1.25:1
SMA-BMA-FMS	DC-18GHz	SMA Female	BMA Male	1.30:1
SMA-BMA-FM	DC-18GHz	SMA Female	BMA Male	1.30:1
SMA-FF	DC-18GHz	SMA Female	SMA Female	1.15:1
SMA-MF	DC-18GHz	SMA Male	SMA Female	1.15:1
SMA-MM	DC-18GHz	SMA Male	SMA Male	1.15:1
SMA-FFF	DC-18GHz	SMA Female	SMA Female 4-Hole Flange	1.15:1
SMA-FFW	DC-18GHz	SMA Female	SMA Female Right Angle	1.25:1
SMA-MFW	DC-18GHz	SMA Male	SMA Female Right Angle	1.25:1
SMA-MMW	DC-18GHz	SMA Male	SMA Male Right Angle	1.25:1
SMA-FFY	DC-18GHz	SMA Female	SMA Female Bulkhead	1.15:1
SMA-MFY	DC-18GHz	SMA Male	SMA Female Bulkhead	1.15:1
SMA-TNC-FF	DC-18GHz	SMA Female	TNC Female	1.20:1
SMA-TNC-FM	DC-18GHz	SMA Female	TNC Male	1.20:1
SMA-TNC-MF	DC-18GHz	SMA Male	TNC Female	1.20:1
SMA-TNC-MM	DC-18GHz	SMA Male	TNC Male	1.20:1
SMA-FFH	DC-27GHz	SMA Female	SMA Female	1.15:1
SMA-MFH	DC-27GHz	SMA Male	SMA Female	1.15:1
SMA-MMH	DC-27GHz	SMA Male	SMA Male	1.15:1
SMA-FFFH	DC-27GHz	SMA Female	SMA Female 4-Hole Flange	1.15:1
SMA-MFQH	DC-27GHz	SMA Male Quick-Fit	SMA Female	1.15:1

型号	工作频率	接头 1	接头 2	驻波 (最大值)
<b>N 系列</b>				
N-SMA-FFYC	DC-6GHz	N Female	SMA Female Bulkhead	1.25:1
N-FF	DC-18GHz	N Female	N Female	1.15:1
N-MF	DC-18GHz	N Male	N Female	1.15:1
N-MM	DC-18GHz	N Male	N Male	1.15:1
N-FFW	DC-18GHz	N Female	N Female Right Angle	1.15:1
N-MFW	DC-18GHz	N Male	N Female Right Angle	1.15:1
N-MMW	DC-18GHz	N Male	N Male Right Angle	1.15:1
N-FFY	DC-18GHz	N Female	N Female Bulkhead	1.15:1
N-SMA-FF	DC-18GHz	N Female	SMA Female	1.15:1
N-SMA-FM	DC-18GHz	N Female	SMA Male	1.15:1
N-SMA-MF	DC-18GHz	N Male	SMA Female	1.15:1
N-SMA-MM	DC-18GHz	N Male	SMA Male	1.15:1
N-SMA-FFF	DC-18GHz	N Female	SMA Female 4-Hole Flange	1.15:1
N-SMA-FFY	DC-18GHz	N Female	SMA Female Bulkhead	1.15:1
N-TNC-FF	DC-18GHz	N Female	TNC Female	1.20:1
N-TNC-FM	DC-18GHz	N Female	TNC Male	1.20:1
N-TNC-MF	DC-18GHz	N Male	TNC Female	1.20:1
N-TNC-MM	DC-18GHz	N Male	TNC Male	1.20:1
<b>TNC 系列</b>				
TNC-FF	DC-18GHz	TNC Female	TNC Female	1.20:1
TNC-MF	DC-18GHz	TNC Male	TNC Female	1.20:1
TNC-MM	DC-18GHz	TNC Male	TNC Male	1.20:1
<b>3.5mm 系列</b>				
35-FF	DC-33GHz	3.5mm Female	3.5mm Female	1.15:1
35-MF	DC-33GHz	3.5mm Male	3.5mm Female	1.15:1
35-MM	DC-33GHz	3.5mm Male	3.5mm Male	1.15:1
35-FFF	DC-33GHz	3.5mm Female	3.5mm Female 4-Hole Flange	1.15:1
35-FFW	DC-33GHz	3.5mm Female	3.5mm Female Right Angle	1.30:1
35-MFW	DC-33GHz	3.5mm Male	3.5mm Female Right Angle	1.30:1
35-MMW	DC-33GHz	3.5mm Male	3.5mm Male Right Angle	1.30:1
35-FFY	DC-33GHz	3.5mm Female	3.5mm Female Bulkhead	1.15:1
35-FFE	DC-34GHz	3.5mm Female	3.5mm Female	1.25:1
35-MFE	DC-34GHz	3.5mm Male	3.5mm Female	1.25:1
35-MME	DC-34GHz	3.5mm Male	3.5mm Male	1.25:1
<b>2.92mm 系列</b>				
292-SMA-FF	DC-27GHz	2.92mm Female	SMA Female	1.15:1
292-SMA-FM	DC-27GHz	2.92mm Female	SMA Male	1.15:1
292-SMA-MF	DC-27GHz	2.92mm Male	SMA Female	1.15:1
292-SMA-MM	DC-27GHz	2.92mm Male	SMA Male	1.15:1

型号	工作频率	接头1	接头2	驻波 (最大值)
<b>2.92mm 系列</b>				
292-35-FF	DC-33GHz	2.92mm Female	3.5mm Female	1.15:1
292-35-FM	DC-33GHz	2.92mm Female	3.5mm Male	1.15:1
292-35-MF	DC-33GHz	2.92mm Male	3.5mm Female	1.15:1
292-35-MM	DC-33GHz	2.92mm Male	3.5mm Male	1.15:1
292-FF	DC-40GHz	2.92mm Female	2.92mm Female	1.15:1
292-MF	DC-40GHz	2.92mm Male	2.92mm Female	1.15:1
292-MM	DC-40GHz	2.92mm Male	2.92mm Male	1.15:1
292-FFE	DC-40GHz	2.92mm Female	2.92mm Female	1.25:1
292-MFE	DC-40GHz	2.92mm Male	2.92mm Female	1.25:1
292-MME	DC-40GHz	2.92mm Male	2.92mm Male	1.25:1
292-FFFS	DC-40GHz	2.92mm Female	2.92mm Female 4-Hole Flange	1.20:1
292-FFF	DC-40GHz	2.92mm Female	2.92mm Female 4-Hole Flange	1.20:1
292-FFW	DC-40GHz	2.92mm Female	2.92mm Female Right Angle	1.25:1
292-MFW	DC-40GHz	2.92mm Male	2.92mm Female Right Angle	1.25:1
292-MMW	DC-40GHz	2.92mm Male	2.92mm Male Right Angle	1.25:1
292-FFY	DC-40GHz	2.92mm Female	2.92mm Female Bulkhead	1.20:1
<b>NMD 系列</b>				
NMD24-292-MF	DC-40GHz	NMD2.4mm Male	2.92mm Female	1.15:1
NMD24-292-MM	DC-40GHz	NMD2.4mm Male	2.92mm Male	1.15:1
NMD24-NMD292-FM	DC-40GHz	NMD2.4mm Female	NMD2.92mm Male	1.15:1
NMD24-NMD292-MF	DC-40GHz	NMD2.4mm Male	NMD2.92mm Female	1.15:1
NMD24-NMD292-MM	DC-40GHz	NMD2.4mm Male	NMD2.92mm Male	1.15:1
NMD292-292-FM	DC-40GHz	NMD2.92mm Female	2.92mm Male	1.15:1
NMD292-MF	DC-40GHz	NMD2.92mm Male	NMD2.92mm Female	1.15:1
<b>2.4mm 系列</b>				
24-SMA-FF	DC-27GHz	2.4mm Female	SMA Female	1.15:1
24-SMA-FM	DC-27GHz	2.4mm Female	SMA Male	1.15:1
24-SMA-MF	DC-27GHz	2.4mm Male	SMA Female	1.15:1
24-SMA-MM	DC-27GHz	2.4mm Male	SMA Male	1.15:1
24-35-FF	DC-33GHz	2.4mm Female	3.5mm Female	1.15:1
24-35-FM	DC-33GHz	2.4mm Female	3.5mm Male	1.15:1
24-35-MF	DC-33GHz	2.4mm Male	3.5mm Female	1.15:1
24-35-MM	DC-33GHz	2.4mm Male	3.5mm Male	1.15:1
24-292-FF	DC-40GHz	2.4mm Female	2.92mm Female	1.15:1
24-292-FM	DC-40GHz	2.4mm Female	2.92mm Male	1.15:1
24-292-MF	DC-40GHz	2.4mm Male	2.92mm Female	1.15:1
24-292-MM	DC-40GHz	2.4mm Male	2.92mm Male	1.15:1
24-292-FFF	DC-40GHz	2.4mm Female	2.92mm Female 4-Hole Flange	1.20:1
24-292-FFW	DC-40GHz	2.4mm Female	2.92mm Female Right Angle	1.25:1

型号	工作频率	接头1	接头2	驻波 (最大值)
<b>2.4mm</b> 系列				
24-292-FMW	DC-40GHz	2.4mm Female	2.92mm Male Right Angle	1.25:1
24-292-MFW	DC-40GHz	2.4mm Male	2.92mm Female Right Angle	1.25:1
24-292-MMW	DC-40GHz	2.4mm Male	2.92mm Male Right Angle	1.25:1
24-292-FFY	DC-40GHz	2.4mm Female	2.92mm Female Bulkhead	1.20:1
24-SMP-MMFD	DC-40GHz	2.4mm Male	SMP Male Full Detent	1.20:1
24-FF	DC-50GHz	2.4mm Female	2.4mm Female	1.15:1
24-MF	DC-50GHz	2.4mm Male	2.4mm Female	1.15:1
24-MM	DC-50GHz	2.4mm Male	2.4mm Male	1.15:1
24-FFF	DC-50GHz	2.4mm Female	2.4mm Female 4-Hole Flange	1.20:1
24-FFW	DC-50GHz	2.4mm Female	2.4mm Female Right Angle	1.25:1
24-MFW	DC-50GHz	2.4mm Male	2.4mm Female Right Angle	1.25:1
24-MMW	DC-50GHz	2.4mm Male	2.4mm Male Right Angle	1.25:1
24-FFY	DC-50GHz	2.4mm Female	2.4mm Female Bulkhead	1.20:1
<b>1.85mm</b> 系列				
185-292-FF	DC-40GHz	1.85mm Female	2.92mm Female	1.15:1
185-292-FM	DC-40GHz	1.85mm Female	2.92mm Male	1.15:1
185-292-MF	DC-40GHz	1.85mm Male	2.92mm Female	1.15:1
185-292-MM	DC-40GHz	1.85mm Male	2.92mm Male	1.15:1
185-24-FF	DC-50GHz	1.85mm Female	2.4mm Female	1.20:1
185-24-FM	DC-50GHz	1.85mm Female	2.4mm Male	1.20:1
185-24-MF	DC-50GHz	1.85mm Male	2.4mm Female	1.20:1
185-24-MM	DC-50GHz	1.85mm Male	2.4mm Male	1.20:1
185-FF	DC-67GHz	1.85mm Female	1.85mm Female	1.25:1
185-MF	DC-67GHz	1.85mm Male	1.85mm Female	1.25:1
185-MM	DC-67GHz	1.85mm Male	1.85mm Male	1.25:1
185-FFF	DC-67GHz	1.85mm Female	1.85mm Female 4-Hole Flange	1.25:1
185-FFW	DC-67GHz	1.85mm Female	1.85mm Female Right Angle	1.25:1
185-MFW	DC-67GHz	1.85mm Male	1.85mm Female Right Angle	1.25:1
185-MMW	DC-67GHz	1.85mm Male	1.85mm Male Right Angle	1.25:1
185-FFY	DC-67GHz	1.85mm Female	1.85mm Female Bulkhead	1.25:1
185-MFY	DC-67GHz	1.85mm Male	1.85mm Female Bulkhead	1.25:1
10-185-FF	DC-67GHz	1.0mm Female	1.85mm Female	1.30:1
10-185-FM	DC-67GHz	1.0mm Female	1.85mm Male	1.30:1
10-185-MF	DC-67GHz	1.0mm Male	1.85mm Female	1.30:1
10-185-MM	DC-67GHz	1.0mm Male	1.85mm Male	1.30:1
<b>1.0mm</b> 系列				
10-FF	DC-110GHz	1.0mm Female	1.0mm Female	1.25:1
10-MF	DC-110GHz	1.0mm Male	1.0mm Female	1.25:1
10-MM	DC-110GHz	1.0mm Male	1.0mm Male	1.25:1

# 全国销售服务网络



**MiCable**  **400-918-0388**

福建迈可博电子科技集团股份有限公司

 福建省福州市铜盘路软件大道软件园 A 区 29 栋 5 楼


 [www.micable.cn](http://www.micable.cn)  [Sales@micable.cn](mailto:Sales@micable.cn)  0591-87382857



迈可博微信公众号

**Mitron**  **400-887-3088**

国内销售代理——福州伟博电讯有限公司

 福建省福州市台江区宁化街道望龙二路长汀街 23 号 ICC 升龙环球中心 20 层

 0591-87870001 (总部)  [www.mitron.cn](http://www.mitron.cn)  [Sales@mitron.cn](mailto:Sales@mitron.cn)  0591-87870011



伟博电讯微信公众号

北京分公司	上海分公司	南京分公司	武汉分公司	成都分公司	西安分公司	深圳分公司	香港分公司
 010-62898691	 021-58968955	 025-87702131	 027-87737881	 028-86658422	 029-85725769	 0755-82870682	 852-28081816